

Type	Hits	Search Text	DBs	Time Stamp
BRS	6626	(702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	2280	(702/for.103-for.104 or 702/for.115 or 702/for.116-for.119 or 702/for.135 or 702/for.137 or 702/for.121 or 702/for.134 or 702/for.139 or 702/for.140 or 702/for.155 or 702/for.170-for.171).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	8377	(422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4727	(436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	17445	(707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	21341	(709/100 or 709/102-104 or 709/106-107 or 709/201-203 or 709/205-207 or 709/213-219 or 709/223-229 or 709/310 or 709/310).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	8030	(340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or 340/for.104 or 340/for.203 or 340/for.326 or 340/for.207-for.214).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	840	((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	342	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	234	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network) and error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	60	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network) and error) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	49	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	35	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	3	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log same history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log) and assay) and quality	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	917	((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	640	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	52	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	21	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	5	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	19	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	8	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user) and operator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	8	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user) and operator) and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	1384	((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	364	((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	10	((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer) and computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	7	((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer) and computer adj network) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	1	((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer) and computer adj network) and sensor) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	1748	((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	511	((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	8	((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	1	((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network) and log same history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	1	((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network) and log and history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	3	((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	73	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	10	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	14	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	8	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1) and computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	2	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1) and computer adj network) and history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	1	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1) and computer adj network) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	9	((709/100 or 709/102-104 or 709/106-107 or 709/201-203 or 709/205-207 or 709/213-219 or 709/223-229 or 709/310 or 709/310).ccls.) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4	((709/100 or 709/102-104 or 709/106-107 or 709/201-203 or 709/205-207 or 709/213-219 or 709/223-229 or 709/310 or 709/310).ccls.) and assay) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	5	((709/100 or 709/102-104 or 709/106-107 or 709/201-203 or 709/205-207 or 709/213-219 or 709/223-229 or 709/310 or 709/310).ccls.) and assay) and probe	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	7	((340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or 340/for.104 or 340/for.203 or 340/for.326 or 340/for.207-for.214).ccls.) and assay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	2	((340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or 340/for.104 or 340/for.203 or 340/for.326 or 340/for.207-for.214).ccls.) and assay) and computer adj network) and quality	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04

[illegible]

Type	Hits	Search Text	DBs	Time Stamp
BRS	5	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) or ((702/for.103-for.104 or 702/for.115 or 702/for.116-for.119 or 702/for.135 or 702/for.137 or 702/for.121 or 702/for.134 or 702/for.139 or 702/for.140 or 702/for.155 or 702/for.170-for.171).ccls.) or ((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) or ((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) or ((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) or ((709/100 or 709/102-104 or 709/106-107 or 709/201-203 or 709/205-207 or 709/213-219 or 709/223-229 or 709/310 or 709/310).ccls.) or ((340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user) and history	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4	(Control\$4 near analyzer\$1) and (collecting same means)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	7	((702/116 or 702/120-123).ccls.) and (control\$4 near analyzer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	4	(((((702/116 or 702/120-123).ccls.) and (control\$4 near analyzer\$1)) and network) and computer) and analyzers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	82	desta.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	17	((702/187-188).ccls.) and miller\$.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	13	(((((702/187-188).ccls.) and miller\$.xa.) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
BRS	13	(((((702/187-188).ccls.) and miller\$.xa.) and network) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04
IS&R	2	("5366896").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	7/1/04